APPENDIX A

LIST OF PROJECT DOCUMENTS 14,001 - 14,100

- 14001 LOVE.E.C. Pressure rise associated with shock-induced boundary layer separation. NACA TN. 3601.
- 14002 SEABERG, E.C. Laboratory investigation of an autopilot utilizing a mechanical linkage with a dead spot to obtain an effective rate signal. 1956. NACA TN. 3602.
- 14003 ADAMS, J. J. & MATHEWS, C. W. Theoretical study of the lateral frequency response to gusts of a fighter airplane, both with controls fixed and with several types of auto-pilots. 1956. NACA TN. 3603.
- 14004 HORNE, W. & others. Low speed yawed rolling characteristics and other elastic properties of a pair of 26-inch diameter, 12 ply rating, type VII aircraft tires. 1956. NACA TN. 3604.
- 14005 QUEIJO, M.J. Theoretical span load distributions and rolling moments for sideslipping wings of arbitrary plan form in incompressible flow. 1955. NACA TN. 3605.
- 14006 HUCKEL, Vera. Tabulation of the functions which occur in the aerodynamic theory of oscillating wings in supersonic flow.
 1956. NACA TN. 3606.
- 14007 DALEY, B.N. & DICK, R.S. Effect of thickness, camber and thickness distribution on airfoil characteristics at Mach numbers up to 1.0. March 1956. NACA TN. 3607.
- 14008 EDGE, P. M. Hydrodynamic impact loads in smooth water for a prismatic float having an angle of dead rise of 10°. 1956.

 NACA TN. 3608.
- 14009 BOBBITT, P.J. Linearized lifting-surface and lifting line evaluations of sidewash behind rolling triangular wings at supersonic speeds. 1956. NACA TN, 3609.

- 14010 HARRIN, E. N. Comparison of landing-impact velocities of first and second wheel to contact from statistical measurements of transport airplane landings, 1956. NACA TN. 3610.
- 14011 SPAHR, J.R. Theoretical investigation of the effects of configuration changes on the center-of-pressure shift of a body-wing-tail combination due to angle of attack and Mach number at transonic and supersonic speeds.

 1955. NACA RM A55F02.
- 14012 CHAPMAN, D. R. & others. Preliminary report on a study of separated flows in supersonic and subsonic streams. 1956. NACA RM A55L14.
- 14013 MOECKEL, W.E. Flow separation ahead of a blunt axially symmetric body at Mach numbers 1.76 to 1.10.
 1951. NACA RM E51125.
- 14014 BERNSTEIN, H. & BRUNK, W.E. Exploratory investigation of flow in the separated region ahead of two blunt bodies at Mach number 2. 1955. NACA RM E55D07b.
- 14015 JAGGER, J. M. & MIRELS, H. Experimental pressure distributions over wing tips at Mach numbers 1.9. January 1949. NACA TN. E8K2b.
- 14016 BULL, G.V. Aeronautical studies in the aeroballistics range.
 1957. CARDE REPORT No. 302/57.
- 14017 KRIEGER, F. J. & WHITE, W. B. The composition and thermodynamic properties of air at temperatures from 500 to 8000 K and pressures from 0.00001 to 100 atmospheres.

 1957. Rand Corp. R. 149.
- 14018 HINZ, E.R. Stability and control characteristics of the vertical attitude, VTOL aircraft. 1957. I.A.S. Preprint 763.
- 14019 LOWRY, J.G. & others. The jet-augmented flap. 1957. I.A.S. Preprint 715.

- 14020 HOUGHTON, D.S. & CHAN, A.S.L. Discontinuity stresses at the junction of a pressurised spherical shell and a cylinder. 1957. C. of A. Note 80.
- 14021 MILLER, A.E. An analysis of the requirements for oxygen in commercial turbo-prop and jet transports. 1957. SAE Preprint.
- 14022 MILLER, A.E. Work and progress in oxygen and aviation oxygen equipment. 1957. Aero. Medical Ass. Reprint.
- 14023 ALLEN, H. Combustion of various highly reactive fuels in a 3.84 by 10 inch Mach 2 Wind Tunnel. N. A. S. A. Memo 1-15-59E.
- MEYER, R.E. & MAHONY, J. J. Analytical treatment of two-dimensional supersonic flow. Part 1: Shock free flow.
 1954. A.R.L. (Australia) Report A93.
- 14025 MEGSON, N.J.L. Structural plastics for airframe construction. 1957. AGARD Report 162.
- 14026 PURSER, P.E. Review of some recent data on buffet boundaries.
 1951. NACA RM. L51E02a.
- 14027 HOFFMAN,S. Comparison of zero lift drag determined by flight tests at transonic speeds of pylon, underslung, and symmetrically mounted nacelles at 40 per cent semispan of a 45° sweptback wing and body combination. June 1951. NACA RM. L51D26.
- 14028 STRASS, H. K. & others. Some effects of spanwise aileron location and wing structural rigidity on the rolling effectiveness of 0.3 chord flap type ailerons on a tapered wing having 63 sweep-back at the leading edge and NACA 64A005 airfoil sections.

 1951. NACA RM. L51D18a.
- LUOMA, Arvo. A. Aerodynamic characteristics of four wings of sweepback angles 0°, 35°, 45°, and 60°, NACA 65A006 airfoil section, aspect ratio 4, and taper ratio 0.6 in combination with a fuselage at high subsonic Mach numbers and at a Mach number of 1.2. 1951. NACA RM.L51D13.

- 14030 SPREEMAN, K. P. & ALFORD, W. J. Investigation of the effects of twist and camber on the aerodynamic characteristics of a 50° 38' sweptback wing of aspect ratio 2.98. NACA RM. L51C16.
- JOHNSON, H.S. Wind tunnel investigation at subsonic and low transonic speeds of the effects of aileron span and spanwise location on the rolling characteristics of a test vehicle with three untapered 45° sweptback wings. April 1951.

 NACA RM. L51B16.
- 14032 HELDENFELS, R. & VOSTEEN, L. Approximate analysis of effects of large deflections and initial twist on torsional stiffness of a cantilever plate subjected to thermal stresses.

 1957. NACA TN. 4067.
- 14033 THOMPSON, W.E. Measurements and power spectra of runway roughness at airports in countries of the North Atlantic Treaty Organisation. 1958. NACA TN. 4303.
- 14034 MAYO, A. P. Matrix methods for obtaining spanwise moments and deflections of torsionally rigid rotor blades with arbitrary loadings. 1958. NACA TN. 4304.
- 14035 WILLIAMS, J. L. Wind tunnel investigation of effects of spoiler location, spoiler size and fuselage nose shape on directional characteristics of a model of a tandem-rotor helicopter, fuselage. 1958. NACA TN.4305.
- 14036 GEORGE, J. M. The measurement of air temperature in high speed flight. C. of A. Note 86.
- 14037 GARNER, H.C. Numerical aspects of unsteady lifting-surface theory at supersonic speeds. 1956. A.R.C. Report 19,268.
- 14038 MILES, D. J. The improvement of the voltage waveform of high frequency alternators. 1956. R. A. E. TN. El. 136.
- 14039 MITCHELL, A.H. Alkali vapour and plasmatron valves as power rectifiers. 1957. R.A.E.TN.El.139.

- 14040 COX, W.J.G. Development of the types IT. 3-1-1 and 3-2-1 accelerometers. 1957. R.A.E. TN. Instn. 158.
- 14041 HAYWARD, D.C. The mechanical properties of RR58 aluminium alloy sheet in tension and compression at room and elevated temperatures. 1957 R.A.E. TN. Met. 261.
- 14042 ROWLEY, G. C. Basic cold cathode electronic units for the assembly of special purpose decimal computers. 1957.
 R. A. E. TN. M. S. 34.
- 14043 ROWLEY, G.C. The decimal adder for data handling systems. 1957. R.A.E. TN. M.S.36.
- 14044 BORGARS, S. J. Measurement of optimum coolant flow for radio equipment in supersonic aircraft. 1957. R.A.E. TN. RAD. 667.
- 14045 TAYLOR, A.S. The laws of aeroelastic similarity and their application, with particular reference to the design and testing of elastic wind tunnel models. 1957. R.A.E. Report Aero. 2393.
- 14046 MANGLER, K. W. & SMITH, J. H. B. Calculation of the flow past slender delta wings with leading edge separation. 1957. R.A.E. Report Aero. 2593.
- 14047 ROWE, P.N. Deflection by vanes with particular reference to small angles. 1957. D.G.G.W. Report EMR/57/4.
- 14048 WILLIAMS, W.H. Thermodynamic charts for the combustion products of nitric acid and kerosene. 1954. A.R.C. R&M. 2982.
- 14049 THOMLINSON, J. A study of the aircraft arresting-hook bounce problem. 1954. A.R.C. R&M. 2980.
- 14050 KNOWLER, A.E. & HOLDER, D.W. The efficiency of high-speed wind tunnels of the induction type. 1954. A.R.C. R&M. 2448.

- 14052 SCHJELDERUP, H.C. Accumulative fatigue damage caused by random loading. Jnl. Aero. Scs. 1959 pp 394 395.
- BLOOM, M. H. On hypersonic similarity for nozzles. Jnl. Aero. Scs. 1959 p 395.
- 14054 FERRI, A. & ZAKKAY, V. Pressure distributions for a two dimensional blunt nosed body at different angles of attack.

 Jnl. Aero. Scs. 1959 pp 395 396.
- 14055 NESS, N. On the continuity of the Schmidt number at the interface between the laminar sublayer and the other turbulent region. Jnl. Aero. Scs. 1959 pp 396 397.
- 14056 SUTTON, G. W. A comparison of several approximate theories of melting ablation. Jnl. Aero. Scs. 1959 pp 397 398.
- 14057 BOYCE, W.E. The elastic-plastic bending of an eccentrically loaded sandwich column. Jnl. Aero. Scs. 1959 pp 398 399.
- 14058 HOSHIZAKI, H. & SMITH, H. J. The effect of helium at an axially symmetric stagnation point. Jnl. Aero. Scs. 1959 pp 399 400.
- 14059 NUDELMAN, H. B. & others. Fiber metallurgy its use for slip ring bushes. Aero. Eng. Rev. 1955 (Dec.) pp 31 32.
- 14060 HOVGARD, P.E. The comparative performance of helicopter convertiplanes, and slow flying airplanes.

 Aero. Eng. Rev. Dec. 1955 pp 40 44.
- 2AUSTIN, M. On the danger of combined stresses in pressurized structures. Aero. Eng. Rev. Dec. 1955 pp 45 48.
- 14062 WATTSON, R.K. Effects of boundary layer control system efficiency on performance. Aero. Eng. Rev. Dec. 1955. pp 49 51.
- 14063 NONWEILER, T. The design of wing sections.
 Aircraft Engng. 1956 pp 216 227.

- 14064 GASSNER, E. The problem of fatigue strength in aircraft structures. Aircraft Engng. 1956 pp 228 234.
- 14065 JOHNSON, A.E. Turbine disks for jet propulsion units. Aircraft Engng. 1956 pp 235 - 243.
- 14066 STUBBS, R. A. Specific aeronautical problems in high performance aircraft. Canadian Aeronautical Jnl. 1957 pp 216 219.
- 14067 SONEY, C.I. Reliability control of electronic equipment in aircraft and weapon systems general and management aspects. Canadian Aeronautical Jnl. 1957 pp 222 231.
- 14068 NOWN, J. S. Mc. Drag in unsteady flow. Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 124 130.
- 14069 HASIMOTO, H. The unsteady axial motion of an infinitely long cylinder in a viscous fluid. Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 135 143.
- 14070 ECKHAUS, W. Asymptotic solution of the two-dimensional oscillating aerofoil problem, for high subsonic Mach numbers. Proc. 9th Int. Con. App. Mech. 1957 pp 114 123.
- 14071 RUDINGER, G. Boundary conditions in non-steady flow. Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 152 163.
- 14072 KAPLUN, S. Low Reynolds number flow past a circular cylinder. Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 167-175.
- 14073 KAPLUN, S. Asymptotic expansion of Navier-Stokes solutions for small Reynolds number. Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 177 186.
- 14074 RIVLIN, R. S. Some flow properties of visco-elastic fluids.

 Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 187 195.
- 14075 BROER, L.J. F. Laminar flow of a visco-elastic fluid.

 Proc. 9th Int. Con. App. Mech. Vol. 3 1957 pp 205 209.

- 14076 PARET, R. E. Fabrication of low nickel high manganese steels. Metal Progress May 1956 pp 54 57.
- 14077 ADAMS, C. M. Gating and risering of investment castings.

 Metal Progress May 1956, pp 58 60.
- 14078 BERNSTEIN, H. Delayed cracking of rolled Ti-150. Metal Progress, May 1956, pp 65 - 66.
- 14079 KAUFMAN, J. W. Prestressing ultra high strength steel to perform even higher duty.

 Metal Progress, May 1956, pp 87 90.
- 14080 LAMBOURNE, N.C. On the conditions under which energy can be extracted from an air stream by an oscillating aerofoil. Aero. Quarterly, 1952-54, pp 55 68.
- 14081 ROBINSON, A. Aerofoil theory for swallow tail wings of small aspect ratio. Aero. Quarterly, 1952-54, pp 69 82.
- 14082 WITTRICK, W. H. Correlation between some stability problems for orthotropic and isotropic plates under bi-axial and uni-axial direct stress. Aero. Quarterly, 1952-54, pp 83 90.
- 14083 COLLIS, D.C. The dust problem in hot-wire anemometry.

 Aero. Quarterly, 1952-54, pp 93 102.
- 14084 POWELL, A. On the noise emanating from a two dimensional jet above the critical pressure. Aero. Quarterly, 1952-54, pp 103 122.
- 14085 GADD, G.E. Some aspects of laminar boundary layer separation in compressible flow with no heat transfer to the wall.

 Aero. Quarterly, 1952-54, pp 123 150.
- 14086 COX, H.L. & FIELD, J.E. The initiation and propagation of fatigue cracks in mild steel pieces of square section.

 Aero. Quarterly, 1952-54, pp 1 18.

- 14087 ZIMMERMAN, R. H. A method for predicting supercompressibility factors of natural gases. ASME Trans. Oct. 1958, pp 1358 - 1362.
- 14088 WOODS, L.C. Compressible subsonic flow in two dimensional channels. Aero. Quarterly, 1955, pp 205 220.
- 14089 DONALDSON, I.S. The effect of sting supports on the base pressure of a blunt-based body in a supersonic stream.

 Aero. Quarterly, 1955, pp 221 229.
- 14090 JESSOP, H.T. Photoelastic investigation in connection with the fatigue strength of bolted joints. Aero. Quarterly, 1955, pp 230 - 240.
- 14091 TANNER, L. H. Note on a null method for the direct measurement of pressure coefficient. Aero Quarterly, 1955 pp 241 253.
- 14092 WOODS, L.C. Compressible subsonic flow in two dimensional channels. Aero. Quarterly, 1955, pp 254 277.
- 14093 GUNN, K. Effect of yielding on the fatigue properties of test pieces containing stress concentrations. Aero. Quarterly, 1955, pp 277 294.
- 14094 COLEMAN, W.S. Stabilisation of the aeroplane in symmetric flight at zero or very small air speeds. Aero. Quarterly, 1955, pp 295 328.
- 14095 Ultrasonic Inspection. Semi-Automatic installation for large aluminium alloy slabs. Aircraft Prod. 1957, pp 250 252.
- 14096 HALL, L.G. Chemical milling application of the process to airframe structures. Aircraft Prod. 1957, pp 257 259.
- 14097 Integral Skins: Production techniques and equipment used in the manufacture of large wing panels. Aircraft Prod. 1957, pp 260 - 272.

14098	Drilling and lapping components in hydraulic	servo
	equipment. Aircraft Prod. 1957, pp 274	- 278.

- 14099 Milling high tensile steel. Some notes on the use of Atrasmann roughing cutters. Aircraft Prod. 1957, pp 278 281.
- DRIEST, E.R. van. Aerodynamic heating. App. Mech. Rev. Feb. 1958, pp 51 - 53.